

# **BELLIDIC Despatch Advice Message**

**Version 1.1**

**11 February 2000**

---

*Message Name:* BELLIDIC Despatch Advice Message  
*Message Version:* 1.1  
*Date Released:* 11 February 2000  
*Responsible Agency:* EDI-TIE BELGIUM N.V.  
*Message Description:*  
*Message Type:* DESADV  
*Directory Name:* TDID 97A  
*Directory Version:* D.97A

---

# Segment Table

<b>Interchange</b>		<b>M 1</b>
UNB	INTERCHANGE HEADER	M 1
<b>Message</b>		<b>M 9999</b>
UNH		M 1
BGM	Beginning of message	M 1
DTM	Date/time/period	M 10
<b>Group 1</b>		<b>C 10</b>
RFF	Reference	M 1
DTM	Date/time/period	C 1
<b>Group 2</b>		<b>C 10</b>
NAD	Name and address	M 1
<b>Group 3</b>		<b>C 10</b>
RFF	Reference	M 1
<b>Group 10</b>		<b>C 9999</b>
CPS	Consignment packing sequence	M 1
FTX	Free text	C 5
<b>Group 15</b>		<b>C 9999</b>
LIN	Line item	M 1
PIA	Additional product id	C 10
IMD	Item description	C 25
QTY	Quantity	C 10
<b>Group 16</b>		<b>C 99</b>
RFF	Reference	M 1
<b>Group 20</b>		<b>C 9999</b>
PCI	Package identification	M 1
QTY	Quantity	C 1
<b>Group 21</b>		<b>C 10</b>
GIN	Goods identity number	M 1
<b>Group 22</b>		<b>C 10</b>
HAN	Handling instructions	M 1
FTX	Free text	C 5
<b>Group 23</b>		<b>C 10</b>
QVR	This segment replaces segment QVA (which has been deleted in this di	M 1
DTM	Date/time/period	C 5
CNT	Control total	C 5
UNT		M 1
UNZ	INTERCHANGE TRAILER	M 1

# Segment Layouts

UNB M 1		INTERCHANGE HEADER			
S001	SYNTAX IDENTIFIER		M	R	
0001	Syntax identifier	A4	M	R	UNOA - <i>UN/ECE level A</i>
0002	Syntax version number	N1	M	R	3 - <i>Syntax version number 3</i>
S002	INTERCHANGE SENDER		M	R	
0004	Sender identification	AN..35	M	R	in the EDIFACT message EAN numbers have to be used: N13.  BELLIDIC will keep a translation table (EAN number, BELLIDIC id) on the FTP server.  In EDIFACT the sender id does not have to be the same as the NAD-SU id because a supplier could use a third party service for the EDI translation, but BELLIDIC does not support this difference.
0007	Partner identification code qualifier	AN..4	C	R	14 - <i>EAN (International Article Numbering Association)</i>
0008	Address for reverse routing	AN..14	C	X	
S003	INTERCHANGE RECIPIENT		M	R	
0010	Recipient identification	AN..35	M	R	in the EDIFACT message EAN numbers have to be used: N13.  BELLIDIC will keep a translation table (EAN number, BELLIDIC id) on the FTP server.  In EDIFACT the recipient does not have to be the same as the NAD-BY id because a client could use a third party service for the EDI translation, but BELLIDIC doen not support this difference.
0007	Partner identification code qualifier	AN..4	C	R	14 - <i>EAN (International Article Numbering Association)</i>
0014	Routing address	AN..14	C	X	
S004	DATE/TIME OF PREPARATION		M	R	If the EDIFACT interchange is generated on the FTP server: system date/time of the FTP server at generation time is used.

UNB M 1		INTERCHANGE HEADER				
0017	Date of preparation	N6	M	R	The day the interchange was created. Take care: ONLY 6 POSITIONS!! Format: YYMMDD	
0019	Time of preparation	N4	M	R	The time the interchange was created.	
0020	INTERCHANGE CONTROL REFERENCE	AN..14	M	R	A unique identification of the interchange. Has no functional meaning.	
S005	RECIPIENT'S REFERENCE PASSWORD		C	X		
0022	Recipient's reference/password	AN..14	M	X		
0025	Recipient's reference/password qualifier	AN2	C	X		
0026	APPLICATION REFERENCE	AN..14	C	R	BELDES01 - <i>BELLIDIC Despatch Advice Version 1</i>	
0029	PROCESSING PRIORITY CODE	A1	C	X		
0031	ACKNOWLEDGEMENT REQUEST	N1	C	X		
0032	COMMUNICATIONS AGREEMENT ID	AN..35	C	R	BELLIDIC - <i>BELLIDIC userguide</i>	
0035	TEST INDICATOR	N1	C	O	1 - <i>Interchange is a test</i>	

# UNH M 1

UNH M 1					
0062	MESSAGE REFERENCE NUMBER	AN..14	M	R	Unique id of this message in the interchange. Has no functional meaning.
S009	MESSAGE IDENTIFIER		M	R	
0065	Message type identifier	AN..6	M	R	DESADV - <i>Despatch Advice message</i>
0052	Message type version number	AN..3	M	R	D - <i>Draft directory</i>
0054	Message type release number	AN..3	M	R	97A - <i>Version 97A</i>
0051	Controlling agency	AN..2	M	R	UN - <i>UN/ECE/TRADE/WP.4, United Nations Standard Messages (UNSM)</i>
0057	Association assigned code	AN..6	C	R	BELDES - <i>BELLIDIC DESADV message</i>
0068	COMMON ACCESS REFERENCE	AN..35	C	X	
S010	STATUS OF THE TRANSFER		C	X	
0070	Sequence message transfer number	N..2	M	X	
0073	First/last sequence message transfer indication	A1	C	X	

**BGM M 1****Beginning of message**

C002	DOCUMENT/MESSAGE NAME		C	R	
1001	Users should note that code values marked as additions or changes are	AN..3	C	R	
					351 - <i>Despatch advice</i>
1131	Code list qualifier	AN..3	C	X	
3055	Code list responsible agency, coded	AN..3	C	X	
1000	Document/message name	AN..35	C	X	
C106	DOCUMENT/MESSAGE IDENTIFICATION		C	R	
1004	Document/message number	AN..35	C	R	Despatch advice number assigned by the supplier.
1056	Version	AN..9	C	X	
1060	Revision number	AN..6	C	X	
1225	MESSAGE FUNCTION, CODED	AN..3	C	X	
4343	RESPONSE TYPE, CODED	AN..3	C	X	

DTM M 10		Date/time/period			
C507	DATE/TIME/PERIOD		M	R	
2005	Date/time/period qualifier	AN..3	M	R	11 - <i>Despatch date and or time</i> 137 - <i>Document/message date/time</i>
2380	Date/time/period	AN..35	C	R	case 137: despatch advice date. case 11: goods delivery date.
2379	Date/time/period format qualifier	AN..3	C	R	102 - <i>CCYYMMDD</i>

RFF M 1			Reference		
Grp 1	C	10	RFF DTM		
C506	REFERENCE		M	R	
1153	Reference qualifier	AN..3	M	R	ON - <i>Order number (purchase)</i> VN - <i>Order number (vendor)</i>
1154	Reference number	AN..35	C	R	Case ON: Order number of the buyer. Case VN: Order number of the supplier.
1156	Line number	AN..6	C	X	
4000	Reference version number	AN..35	C	X	



DTM C 1			Date/time/period		
Grp 1	C	10	RFF DTM		
C507	DATE/TIME/PERIOD		M	R	
2005	Date/time/period qualifier	AN..3	M	R	171 - <i>Reference date/time</i>
2380	Date/time/period	AN..35	C	R	Case 171: Order date of the buyer.
2379	Date/time/period format qualifier	AN..3	C	R	102 - <i>CCYYMMDD</i>

NAD M 1			Name and address		
Grp 2	C	10	NAD Grp 3		
3035	PARTY QUALIFIER	AN..3	M	R	BY - Buyer DP - Delivery party SU - Supplier
C082	PARTY IDENTIFICATION DETAILS		C	D	Only used in case of 3035 = BY or SU.
3039	User or association defined code. May be used in combination with 113	AN..35	M	R	case BY and EANcode is used: EANcode of the client.  case BY and suffixe is used: suffix number of the affiliate of the client.  case SU and EANcode is used: EANcode of the supplier.  case SU and suffixe is used: suffix number of hte affiliate of the supplier.
1131	Code list qualifier	AN..3	C	X	
3055	Code list responsible agency, coded	AN..3	C	R	Case EANcode is used: 9  Case Suffixe is used: BEL  9 - EAN (International Article Numbering association)  BEL - BELLIDIC
C058	NAME AND ADDRESS		C	X	
3124	Name and address line	AN..35	M	X	
3124	Name and address line	AN..35	C	X	
3124	Name and address line	AN..35	C	X	
3124	Name and address line	AN..35	C	X	
3124	Name and address line	AN..35	C	X	
C080	PARTY NAME		C	D	
3036	Party name	AN..35	M	R	case DP: name of the delivery place.
3036	Party name	AN..35	C	O	case DP: name of the delivery place (part2).
3036	Party name	AN..35	C	X	
3036	Party name	AN..35	C	X	
3036	Party name	AN..35	C	X	
3045	Party name format, coded	AN..3	C	X	
C059	STREET		C	D	
3042	Street and number/p.o. box	AN..35	M	R	case DP: streetname and number of the delivery place.

<b>NAD M 1</b>		<b>Name and address</b>			
3042	Street and number/p.o. box	AN..35	C	O	Only used when first 3043 is completely filled. Case DP: streetname and number of the delivery place.
3042	Street and number/p.o. box	AN..35	C	X	
3042	Street and number/p.o. box	AN..35	C	X	
3164	CITY NAME	AN..35	C	D	case DP: city name of the delivery place.
3229	USE CODE DEFINED BY APPROPRIATE NATIONAL AUTHORITY.	AN..9	C	X	
3251	USE CODE DEFINED BY APPROPRIATE NATIONAL AUTHORITY.	AN..9	C	R	case DP: ZIP code of the delivery address.
3207	USE ISO 3166 TWO ALPHA COUNTRY CODE.	AN..3	C	R	case DP: country code of the delivery place.

<b>RFF</b>	<b>M</b>	<b>1</b>				<b>Reference</b>
<b>Grp 2</b>	<b>C</b>	<b>10</b>				<b>NAD Grp 3</b>
<b>Grp 3</b>	<b>C</b>	<b>10</b>				<b>RFF</b>
C506	REFERENCE			M	R	
1153	Reference qualifier		AN..3	M	R	
1154	Reference number		AN..35	C	R	VA - <i>VAT registration number</i>
1156	Line number		AN..6	C	X	Case VA: VAT number.
4000	Reference version number		AN..35	C	X	

<b>CPS M 1</b>		<b>Consignment packing sequence</b>			
<b>Grp 10</b>	<b>C</b>	<b>9999</b>	<b>CPS FTX Grp 15</b>		
7164	HIERARCHICAL ID. NUMBER	AN..12	M	R	Always '1'
7166	HIERARCHICAL PARENT ID.	AN..12	C	X	
7075	PACKAGING LEVEL, CODED	AN..3	C	X	

FTX C 5			Free text		
Grp 10 C 9999			CPS FTX Grp 15		
4451	TEXT SUBJECT QUALIFIER	AN..3	M	R	CUR - <i>Customer remarks</i> SUR - <i>Supplier remarks</i>
4453	TEXT FUNCTION, CODED	AN..3	C	X	
C107	TEXT REFERENCE		C	X	
4441	User or association defined code. May be used in combination with 113	AN..17	M	X	
1131	Code list qualifier	AN..3	C	X	
3055	Code list responsible agency, coded	AN..3	C	X	
C108	TEXT LITERAL		C	R	
4440	Free text	AN..70	M	R	Case CUR: Comment of the client. Case SUR: Comment of the supplier.
4440	Free text	AN..70	C	O	Case CUR: Comment of the client. Case SUR: Comment of the supplier.
4440	Free text	AN..70	C	X	
4440	Free text	AN..70	C	X	
4440	Free text	AN..70	C	X	
3453	USE ISO 639-1988.	AN..3	C	X	

<b>LIN</b>	<b>M</b>	<b>1</b>	<b>Line item</b>			
<b>Grp 10</b>	<b>C</b>	<b>9999</b>	<b>CPS FTX Grp 15</b>			
<b>Grp 15</b>	<b>C</b>	<b>9999</b>	<b>LIN PIA IMD QTY Grp 16 Grp 20 Grp 23</b>			
1082	LINE ITEM NUMBER		AN..6	C	R	Line number.
1229	ACTION REQUEST/NOTIFICATION, CODED		AN..3	C	X	
C212	ITEM NUMBER IDENTIFICATION			C	R	
7140	Item number		AN..35	C	R	case BP: item code assigned by the client. case SA: item code assigned by the supplier.
7143	User or association defined code. May be used in combination with 113		AN..3	C	R	
						BP - <i>Buyers part number</i> SA - <i>Suppliers article number</i>
1131	Code list qualifier		AN..3	C	X	
3055	Code list responsible agency, coded		AN..3	C	X	
C829	SUB-LINE INFORMATION			C	X	
5495	Sub-line indicator, coded		AN..3	C	X	
1082	Line item number		AN..6	C	X	
1222	CONFIGURATION LEVEL		N..2	C	X	
7083	CONFIGURATION, CODED		AN..3	C	X	

PIA	C	10	Additional product id			
Grp 10	C	9999	CPS FTX Grp 15			
Grp 15	C	9999	LIN PIA IMD QTY Grp 16 Grp 20 Grp 23			
4347	PRODUCT ID. FUNCTION QUALIFIER		AN..3	M	R	1 - Additional identification
C212	ITEM NUMBER IDENTIFICATION			M	R	Case BP: item code assigned by the client. Case SA: item code assigned by the supplier.  BP - Buyers part number SA - Suppliers article number
7140	Item number	AN..35	C	R		
7143	User or association defined code. May be used in combination with 113	AN..3	C	R		
1131	Code list qualifier	AN..3	C	X		
3055	Code list responsible agency, coded	AN..3	C	X		
C212	ITEM NUMBER IDENTIFICATION			C	X	
7140	Item number	AN..35	C	X		
7143	User or association defined code. May be used in combination with 113	AN..3	C	X		
1131	Code list qualifier	AN..3	C	X		
3055	Code list responsible agency, coded	AN..3	C	X		
C212	ITEM NUMBER IDENTIFICATION			C	X	
7140	Item number	AN..35	C	X		
7143	User or association defined code. May be used in combination with 113	AN..3	C	X		
1131	Code list qualifier	AN..3	C	X		
3055	Code list responsible agency, coded	AN..3	C	X		
C212	ITEM NUMBER IDENTIFICATION			C	X	
7140	Item number	AN..35	C	X		
7143	User or association defined code. May be used in combination with 113	AN..3	C	X		
1131	Code list qualifier	AN..3	C	X		
3055	Code list responsible agency, coded	AN..3	C	X		
C212	ITEM NUMBER IDENTIFICATION			C	X	
7140	Item number	AN..35	C	X		



<b>PIA</b>	<b>C</b>	<b>10</b>	<b>Additional product id</b>		
7143	User or association defined code. May be used in combination with 113	AN..3	C	X	
1131	Code list qualifier	AN..3	C	X	
3055	Code list responsible agency, coded	AN..3	C	X	

<b>IMD</b>	<b>C</b>	<b>25</b>	<b>Item description</b>			
<b>Grp 10</b>	<b>C</b>	<b>9999</b>	<b>CPS FTX Grp 15</b>			
<b>Grp 15</b>	<b>C</b>	<b>9999</b>	<b>LIN PIA IMD QTY Grp 16 Grp 20 Grp 23</b>			
7077	ITEM DESCRIPTION TYPE, CODED		AN..3	C	R	F - <i>Free-from</i>
7081	ITEM CHARACTERISTIC, CODED		AN..3	C	X	
C273	ITEM DESCRIPTION			C	R	Item description.
7009	User or association defined code. May be used in combination with 113		AN..17	C	X	
1131	Code list qualifier		AN..3	C	X	
3055	Code list responsible agency, coded		AN..3	C	X	
7008	Item description		AN..35	C	R	
7008	Item description		AN..35	C	O	
3453	Use ISO 639-1988.		AN..3	C	X	
7383	SURFACE/LAYER INDICATOR, CODED		AN..3	C	X	

<b>QTY</b>	<b>C</b>	<b>10</b>					<b>Quantity</b>
<b>Grp 10</b>	<b>C</b>	<b>9999</b>	<b>CPS FTX Grp 15</b>				
<b>Grp 15</b>	<b>C</b>	<b>9999</b>	<b>LIN PIA IMD QTY Grp 16 Grp 20 Grp 23</b>				
C186	QUANTITY DETAILS			M	R		
6063	Quantity qualifier	AN..3	M	R	12	- <i>Despatch quantity</i>	
6060	Quantity	N..15	M	R	The delivered quantity.		
6411	See UN/ECE Recommendation 20.	AN..3	C	R	Unit in which the quantity is expressed.		
					KGM	- <i>Kilogram</i>	
					MTR	- <i>Metre</i>	
					PCE	- <i>Piece</i>	

<b>RFF</b>	<b>M</b>	<b>1</b>	<b>Reference</b>
<b>Grp 10</b>	<b>C</b>	<b>9999</b>	<b>CPS FTX Grp 15</b>
<b>Grp 15</b>	<b>C</b>	<b>9999</b>	<b>LIN PIA IMD QTY Grp 16 Grp 20 Grp 23</b>
<b>Grp 16</b>	<b>C</b>	<b>99</b>	<b>RFF</b>

C506	REFERENCE		M	R	
1153	Reference qualifier	AN..3	M	R	ON - <i>Order number (purchase)</i>
1154	Reference number	AN..35	C	X	
1156	Line number	AN..6	C	R	Order line number.
4000	Reference version number	AN..35	C	X	

PCI M 1			Package identification			
Grp 10	C	9999	CPS FTX Grp 15			
Grp 15	C	9999	LIN PIA IMD QTY Grp 16 Grp 20 Grp 23			
Grp 20	C	9999	PCI QTY Grp 21 Grp 22			
4233	MARKING INSTRUCTIONS, CODED		AN..3	C	R	30 - Mark serial shipping container code
C210	MARKS & LABELS			C	X	
7102	Shipping marks		AN..35	M	X	
7102	Shipping marks		AN..35	C	X	
7102	Shipping marks		AN..35	C	X	
7102	Shipping marks		AN..35	C	X	
7102	Shipping marks		AN..35	C	X	
7102	Shipping marks		AN..35	C	X	
7102	Shipping marks		AN..35	C	X	
7102	Shipping marks		AN..35	C	X	
7102	Shipping marks		AN..35	C	X	
7102	Shipping marks		AN..35	C	X	
8275	CONTAINER/PACKAGE STATUS, CODED		AN..3	C	X	
C827	TYPE OF MARKING			C	X	
7511	Type of marking, coded		AN..3	M	X	
1131	Code list qualifier		AN..3	C	X	
3055	Code list responsible agency, coded		AN..3	C	X	

<b>QTY</b>	<b>C</b>	<b>1</b>				<b>Quantity</b>
<b>Grp 10</b>	<b>C</b>	<b>9999</b>				<b>CPS FTX Grp 15</b>
<b>Grp 15</b>	<b>C</b>	<b>9999</b>				<b>LIN PIA IMD QTY Grp 16 Grp 20 Grp 23</b>
<b>Grp 20</b>	<b>C</b>	<b>9999</b>				<b>PCI QTY Grp 21 Grp 22</b>
C186	QUANTITY DETAILS			M	R	
6063	Quantity qualifier		AN..3	M	R	52 - <i>Quantity per pack</i>
6060	Quantity		N..15	M	R	In case of separated package numbers : Quantity per pack.  In case of package numbers in sequence : Quantity enclosed in the sequence of package mentioned below in the 'GIN' segment.
6411	See UN/ECE Recommendation 20.		AN..3	C	R	Unit in which the quantity is expressed.  KGM - <i>Kilogram</i>  MTR - <i>Metre</i>  PCE - <i>Piece</i>

GIN M 1			Goods identity number			
Grp 10	C	9999	CPS FTX Grp 15			
Grp 15	C	9999	LIN PIA IMD QTY Grp 16 Grp 20 Grp 23			
Grp 20	C	9999	PCI QTY Grp 21 Grp 22			
Grp 21	C	10	GIN			
7405	IDENTITY NUMBER QUALIFIER		AN..3	M	R	BJ - <i>Serial Shipping Container Code</i>
C208	IDENTITY NUMBER RANGE			M	R	
7402	Identity number		AN..35	M	R	In case of separated package numbers : Package number.
7402	Identity number		AN..35	C	D	In case of package numbers in sequence : Number of the first package.
7402	Identity number		AN..35	C	D	Only used in case of package numbers in sequence : Number of the last package.
C208	IDENTITY NUMBER RANGE			C	X	
7402	Identity number		AN..35	M	X	
7402	Identity number		AN..35	C	X	
C208	IDENTITY NUMBER RANGE			C	X	
7402	Identity number		AN..35	M	X	
7402	Identity number		AN..35	C	X	
C208	IDENTITY NUMBER RANGE			C	X	
7402	Identity number		AN..35	M	X	
7402	Identity number		AN..35	C	X	
C208	IDENTITY NUMBER RANGE			C	X	
7402	Identity number		AN..35	M	X	
7402	Identity number		AN..35	C	X	

<b>HAN M 1</b>			<b>Handling instructions</b>			
<b>Grp 10</b>	<b>C</b>	<b>9999</b>	<b>CPS FTX Grp 15</b>			
<b>Grp 15</b>	<b>C</b>	<b>9999</b>	<b>LIN PIA IMD QTY Grp 16 Grp 20 Grp 23</b>			
<b>Grp 20</b>	<b>C</b>	<b>9999</b>	<b>PCI QTY Grp 21 Grp 22</b>			
<b>Grp 22</b>	<b>C</b>	<b>10</b>	<b>HAN FTX</b>			
C524	HANDLING INSTRUCTIONS			C	R	
4079	User or association defined code. May be used in combination with 113		AN..3	C	R	
						<i>ZZZ - Mutually defined</i>
1131	Code list qualifier		AN..3	C	X	
3055	Code list responsible agency, coded		AN..3	C	X	
4078	Handling instructions		AN..70	C	X	
C218	HAZARDOUS MATERIAL			C	X	
7419	Association defined code. May be used in combination with 1131/3055.		AN..4	C	X	
1131	Code list qualifier		AN..3	C	X	
3055	Code list responsible agency, coded		AN..3	C	X	
7418	Hazardous material class		AN..35	C	X	



<b>FTX</b>	<b>C</b>	<b>5</b>				<b>Free text</b>
<b>Grp 10</b>	<b>C</b>	<b>9999</b>				<b>CPS FTX Grp 15</b>
<b>Grp 15</b>	<b>C</b>	<b>9999</b>				<b>LIN PIA IMD QTY Grp 16 Grp 20 Grp 23</b>
<b>Grp 20</b>	<b>C</b>	<b>9999</b>				<b>PCI QTY Grp 21 Grp 22</b>
<b>Grp 22</b>	<b>C</b>	<b>10</b>				<b>HAN FTX</b>
4451	TEXT SUBJECT QUALIFIER		AN..3	M	R	PKG - <i>Packaging information</i>
4453	TEXT FUNCTION, CODED		AN..3	C	X	
C107	TEXT REFERENCE			C	X	
4441	User or association defined code. May be used in combination with 113		AN..17	M	X	
1131	Code list qualifier		AN..3	C	X	
3055	Code list responsible agency, coded		AN..3	C	X	
C108	TEXT LITERAL			C	R	
4440	Free text		AN..70	M	R	Type of package.
4440	Free text		AN..70	C	X	
4440	Free text		AN..70	C	X	
4440	Free text		AN..70	C	X	
4440	Free text		AN..70	C	X	
3453	USE ISO 639-1988.		AN..3	C	X	

<b>QVR</b>	<b>M</b>	<b>1</b>	<b>This segment replaces segment QVA (which has been deleted in this dire</b>			
<b>Grp 10</b>	<b>C</b>	<b>9999</b>	<b>CPS FTX Grp 15</b>			
<b>Grp 15</b>	<b>C</b>	<b>9999</b>	<b>LIN PIA IMD QTY Grp 16 Grp 20 Grp 23</b>			
<b>Grp 23</b>	<b>C</b>	<b>10</b>	<b>QVR DTM</b>			
C279	QUANTITY DIFFERENCE INFORMATION			C	R	
6064	Quantity difference		N..15	M	R	Difference between the ordered quantity and the delivered quantity.  BP - <i>Ordered quantity</i>
6063	Quantity qualifier		AN..3	C	R	
4221	DISCREPANCY, CODED		AN..3	C	X	
C960	THIS COMPOSITE DATA ELEMENT REPLACES COMPOSITE C262 (WHICH HAS BEEN DE			C	X	
4295	Change reason, coded		AN..3	C	X	
1131	Code list qualifier		AN..3	C	X	
3055	Code list responsible agency, coded		AN..3	C	X	
4294	Change reason		AN..35	C	X	

<b>DTM</b>	<b>C</b>	<b>5</b>	<b>Date/time/period</b>			
<b>Grp 10</b>	<b>C</b>	<b>9999</b>	<b>CPS FTX Grp 15</b>			
<b>Grp 15</b>	<b>C</b>	<b>9999</b>	<b>LIN PIA IMD QTY Grp 16 Grp 20 Grp 23</b>			
<b>Grp 23</b>	<b>C</b>	<b>10</b>	<b>QVR DTM</b>			
C507	DATE/TIME/PERIOD			M	R	
2005	Date/time/period qualifier		AN..3	M	R	102 - <i>Expect to ship by</i>
2380	Date/time/period		AN..35	C	R	Case 102: Expected delivery date. Format 102 is only used for 'Monopost' Format 108 is only used for 'Multipost'
2379	Date/time/period format qualifier		AN..3	C	R	102 - <i>CCYYMMDD</i> 108 - <i>WW</i>

CNT C 5			Control total		
C270	CONTROL		M	R	
6069	Control qualifier	AN..3	M	R	
					1 - Total value of the quantity segments at line level in a message
					2 - Number of line items in a message
6066	Control value	N..18	M	R	Case 1: Total of all delivered quantities of this despatch advice. Case 2: Total number of item lines in this despatch advice.
6411	See UN/ECE Recommendation 20.	AN..3	C	X	

**UNT M 1**

0074	NUMBER OF SEGMENTS IN A MESSAGE	N..6	M	R	Number of segments in the message.
0062	MESSAGE REFERENCE NUMBER	AN..14	M	R	The unique reference number used in the UNH segment, must be repeated here.

**UNZ M 1****INTERCHANGE TRAILER**

0036	INTERCHANGE CONTROL COUNT	N..6	M	R	Number of messages in the envelope.
0020	INTERCHANGE CONTROL REFERENCE	AN..14	M	R	The unique reference used in the UNB segment, must be repeated here.